
Malone Specialty Inc.
8900 East Ave., Mentor, Ohio 44060
Phone: 440-255-4200 ~ Fax: 440-255-0458
sales@malonespecialtyinc.com

PRODUCT LINE - Flanges / Flange – Flat Faced Slip-On Type - JIS B2220 – 20K



Part Number	Size-dash	Size-inch	Dim. “d”	Dim. “D”	Dim. “C”	No. of Bolts	Dim. “h”	Dim. “t”	Weight KG
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-010	10	3/8	17.8	90	65	4	15	14	0.6
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-015	15	1/2	22.2	95	70	4	15	14	0.7
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-020	20	3/4	27.7	100	75	4	15	16	0.8
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-025	25	1	34.5	125	90	4	19	16	1.3

Part Number	Size-dash	Size-inch	Dim. “d”	Dim. “D”	Dim. “C”	No. of Bolts	Dim. “h”	Dim. “t”	Weight KG
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-032	32	1-1/2	43.2	135	100	4	19	18	1.6
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-040	40	1-1/2	49.1	140	105	4	19	18	1.7
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-050	50	2	61.1	155	120	8	19	18	1.9
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-065	65	2-1/2	77.1	175	140	8	19	20	2.6
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-080	80	3	90	200	160	8	23	22	3.8

Part Number	Size-dash	Size-inch	Dim. “d”	Dim. “D”	Dim. “C”	No. of Bolts	Dim. “h”	Dim. “t”	Weight KG
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-090	90	3-1/2	102.6	210	170	8	23	24	4.4
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-100	100	4	115.4	225	185	8	23	24	4.9
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-125	125	5	141.2	270	225	8	25	26	7.8
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-150	150	6	166.6	305	260	12	25	28	10.1
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-200	200	8	218	350	305	12	25	30	12.6

Part Number	Size-dash	Size-inch	Dim. “d”	Dim. “D”	Dim. “C”	No. of Bolts	Dim. “h”	Dim. “t”	Weight KG
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-250	250	10	269.5	430	380	12	27	34	21.9
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-300	300	12.00	321	480	430	16	27	36	25.8
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-350	350	14	358.1	540	480	16	33	40	36.2
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-400	400	16	409	605	540	16	33	46	51.7
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-450	450	18	460	675	605	20	33	48	66.1

Part Number	Size-dash	Size-inch	Dim. “d”	Dim. “D”	Dim. “C”	No. of Bolts	Dim. “h”	Dim. “t”	Weight KG
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-500	500	20	511	730	660	20	33	50	77.4
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-550	550	22	562	795	720	20	39	52	92.2
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-600	600	24	613	845	770	24	39	54	101.1
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-650	650	26	664	945	850	24	48	60	147.6
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-700	700	28	715	995	900	24	48	64	168

Part Number	Size-dash	Size-inch	Dim. “d”	Dim. “D”	Dim. “C”	No. of Bolts	Dim. “h”	Dim. “t”	Weight KG
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-750	750	30	766	1080	970	24	56	68	212.7
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-800	800	32	817	1140	1030	24	56	72	248.5
Flange – Flat Faced Slip-On Type – JIS B2220 – 20K B2214-900	900	34.00	919	1250	1140	28	56	76	296.9